

Moving Details.

GLASS SLIDING WALLS

dg DORMA
GLAS®





Moving solutions. Living spaces with glass.

With our passion for the material glass we create something really big from something small. Pure dynamics develop from perfectly coordinated, technically precise glass fittings.

Because it is the small elements with a big effect that make the movement of glass between rooms possible in the first place.

That is our self-conception. And we are committed to this with all our knowledge of the possibilities of glass in moving solutions.



◀
FSW EASY Safe
 Ideal for linear layout

Glass sliding walls

Our horizontal sliding wall and folding wall systems keep design scope open. When fully opened on request, the separation between inside and outside disappears.

Glass sliding wall systems leave room for creativity. Location, scope of application and desired indoor climate will determine the individual context for the individual project. The generous transparency reduces the visual separation between the interior and the exterior; a special advantage for shop fronts. And, if needed, the sliding panels make room for barrier-free openness.

HSW EASY Safe
 The HSW EASY
 Safe glass sliding wall
 stands for high trans-
 parency and safety
 in use.
 ▼



▲
HSW FLEX Therm
 Thermally insulated
 closure as desired.
 Weather and well-being
 alone decide whether
 the wall is open or



4

HSW EASY Safe

After being moved individually all panels stand in the park position. The dividing wall between inside and outside disappears.

HSW EASY Safe

Single Elements with free lateral glass edges

High transparency and safety in use. Whether in straight, angled or curved design – HSW EASY Safe adapts to individual requirements and is suitable for modernisations as well as new buildings. Upper and lower door rails provide stability and incorporate the functional components. Integrated single-action or double-action sliding panels provide access at the desired location.

Your advantages:

- Free lateral glass edges for high transparency
- User friendly operation of the single panels for flexible use of space
- Secure hold of laminated safety glass through additional adhesive bonding “Clamp & Glue”
- Visible status indicator by clear color system for upper locking systems

Find more information
and documents here.





◀
FSW EASY Safe
 Ideal for linear layout

FSW EASY Safe

Compact foldable

Transparent, compact and space-saving: the glass folding wall FSW EASY Safe is ideal for linear installations. Its simple and space-saving folding technology does not require a separate parking structure. By linking up to six panels the glass fronts can be extended as desired – for generous transparency. Similar in appearance with top and bottom door rails, this folding sliding wall is a suitable alternative to the HSW EASY Safe.

Your advantages:

- Easy and quick installation
- Secure and easy in use
- Secure hold of laminated safety glass through additional adhesive bonding “Clamp & Glue”
- Visible status indicator by clear color system for upper locking system
- No need for separate parking construction

Find more information
and documents here.





◀
HSW FLEX Therm
Thermally insulated
closure as desired.
Weather and well-being
alone decide whether
the wall is open or
closed.

HSW FLEX Therm

Thermally insulated closure in an instant

Glass sliding walls with thermal insulation give you a firm grip on your indoor climate – regardless of whether the outside temperature is hot or cold. This sliding glass wall is a very good choice wherever higher temperature differences need to be separated at times. A thermally separated floor profile is used for better downward sealing. Simply screwed onto the finished floor, its low height of 7 mm does not affect the barrier-free nature of the system.

Your advantages:

- Energy efficiency through improved thermal insulation
- One convenient switch from sliding panel function to door function at the single-action sliding panel
- Straight design of the framed panels with barely visible operating elements
- Multi-point locking for single-action end panels and single-action sliding panels.

Find more information
and documents here.





HSW-R

The fixed sliding panels quickly become hinged doors for access when the wall itself is closed.

HSW-R

Moderate weather protection

This glass sliding wall comes with aluminium frames throughout its edges at every single panel. Lateral rubber lips and double brush seals at the top and at the bottom offer additional protection against draught and humidity. It is therefore ideally suited for shop windows and store entrances in the exterior.

Your advantages:

- Easy and quick installation
- Safe and easy in use
- Circumferential aluminium frame, suitable for TSG, LSG, insulating glass and special glass types
- Visible status indicator by clear color system for upper locking system

Find more information
and documents here.



┌ We present DORMA-Glas products

┐

└

┘



DORMA-Glas GmbH

Max-Planck-Straße 33-45

D - 32107 Bad Salzuffen

T +49 5222 924-0

info@dorma-glas.com

www.dorma-glas.com

 DORMA-Glas GmbH

 DORMA-Glas GmbH

WN 80051559632
Subject to change without notice

